Index for Volume 71 of Plant Disease

AUTHOR AND SUBJECT INDEX. Page numbers of illustrations are in parentheses.

Abawi, G. S., 990
Abdul-Magid, A. G. M., 557
Abney, T. S., 49
Abrahamson, D. S., 270
Abutilon theophrasti
—*Colletotrichum* on, first report, 281
—Verticillium wilt of, 415, (417)
Acremonium spp., endophyte in fescues, 1021; endophyte in Poaceae, distribution, 340
—*A. coenophialum*, on tall fescue, endophyte, 783
—*A. strictum*, on sorghum, systemic infection and seed transmission, 647, (648)
Adamou, I., 1045
Adams, G. C., Jr., 370
Adams, P. B., 170
Adaskaveg, J. E., 251
Adhikari, M. K., 761
Adkins, C. R., 329
Agaricus brunnescens, double-stranded RNA in, electrophoretic analysis, 430
Agrobacterium tumefaciens, in grape, soil populations, 617
Air pollution (see Pollution)
Albaugh, D. A., 984
Aleamoni, L. M., 377
Alfalfa
—*Aphanomyces euteiches* on, isolate characterization in Wisconsin, 155, (156, 158)
—crown rot and leaf spot in, resistance to, 181
—crown and stem rot of, *Sclerotinia* cause, 739, (740, 741)
—leaf spot and spring black stem, chlorothalonil for control, 752
—root-knot nematode, reproductive efficiency in Pacific Northwest, 345, (347)
—sprout rot of, factors affecting, 786
—Verticillium wilt: in Maryland, 376; outbreak in Quebec, 761; resistance evaluation with culture filtrates, 900, (901, 902)
Alfalfa mosaic virus, cultivar effect in Alberta, 1014
Alfieri, S. A., Jr., 555
Ali, M. E. K., 402, 803
Alliaria petiolata, turnip mosaic virus of, characterization, 966, (966)
Allium cepa, *Meloidogyne hapla* on, pathogenicity and population dynamics, 446
Almond
—nematodes of, California survey, 71
—rust of, first report in India, 850
Alternaria spp.
—*A. macrospora*: on cotton, resistance, 1082; temperature-induced suppression, 1138
—*A. zinniae*, on sunflower, seed yield affected by, 549
Alvarez, A. M., 681, 1029
Alvarez, E., 592
Amador, J., 469, 651
Amaranthus hybridus, tobacco ringspot virus on, seed transmission, 530
American Phytopathological Society, annual meeting program, 655-675
Anderson, B., 135
Antignus, Y., 687
Aphanomyces euteiches, on alfalfa, isolate characterization in Wisconsin, 155, (156, 158)
Apple
—blister bark, *Pseudomonas* in buds, 789
—decay, atmosphere effect, 1003
—disorders in shipments, in New York market, 852
—green crinkle disease of, fruit quality effect, 585
—*Penicillium* decay of, postharvest calcium treatment, 78
—pesticide deposition and distribution: equipment factors, 606; canopy density effect, 613
—rust, screening shoot cultures, 1119, (1120, 1121)
—scab: control with flusilazol and pyrifenox, application rate, 623, (625); teaching aid on microcomputers, 574
—*Sclerotium rolfsii* on, population dynamics in spatial pattern, 719
Apple mosaic virus, on filbert germ plasm, 944
Aragaki, M., 1098
Arceuthobium vaginatum, on ponderosa pine, habitat and typography factors, 342
Aricapa, G., 896
Armillaria spp., rhizomorphs of, in soil from declining spruce stands, 163
Armitage, C. R., 130
Arneson, P. A., 574
Aroids, dasheen mosaic virus, 958
Ascochyta lentis, on lentil, seed-treatment, 58
Ash, mycoplasmal infection in, in Midwest USA, 761
Asparagus
—Cercospora blight of: fungicide effect, 254; in Malaysia, 1146
—purple spot: first report of teleomorph in Washington, 192; in Oklahoma, 376
—stem and crown rot of, management practices, transplants, 81
—viruses I and II, survey in New Jersey, 497
Aspergillus flavus, in cotton bolls, insect vector, aflatoxin model, 997, (998-1000)
Avocado
—bark canker of, in South Africa, 850
—*Phytophthora cinnamomi*, on integrated control, 1046, (1047)
—*Phytophthora citricola* on, first report in California, 1045
Aydin, H., 635
Azalea
—Phytophthora root rot: metalaxyl applications, 818; metalaxyl relations, 886
—*Rhizoctonia* spp. of, characterization and pathogenicity, 977, (978, 980)

Baca, S., 412, 724
Bacteria
—ice nucleation active, *Pseudomonas syringae* on grasses, 724
—ice nucleation active strains, 994
—lyophilization methodology, 615
—seedborne pathogens, on dry beans, dome test for, 984
—xylem-inhabiting, association with leaf scorch in maple, 930, (931, 932)
Bailey, B. A., 518
Bailey, T. B., 237
Balducchi, A. J., 209
Baltensperger, D. D., 192
Bandong, J. M., 127
Bandyopadhyay, R., 647
Banik, M. T., 65
Banttari, E. E., 795
Barbetti, M. J., 350
Barley
—kernel discoloration, genotype and environment effect, 500
—leaf rust of, virulence spectrum in Africa and Middle East, 597
—net blotch epidemics, planting date effects, 438
—Xanthomonas streak, crop loss, 927
Barley yellow dwarf virus
—five luteoviruses causing, identification, 272
—on small grains, in Pennsylvania, 922
Barnard, E. L., 358
Barnes, L. W., 469, 651
Barnett, O. W., 243, 530
Bartle, J. R., 140
Bassett, M. J., 1075
Baumer, J. S., 927
Baxter, A. P., 761
Bean, G. A., 629
Bean common mosaic virus, strains, seed transmission, 51
Beet necrotic yellow vein virus, on sugar beet, in Texas, 557
Begonia, Pythium root infection, chlorpyrifos effect, 525
Bell, D. K., 911
Belmar, S. B., 222
Belonolaimus longicaudatus, on soybean, *Fusarium* interaction, 20
Bemisia tabaci, cotton leaf crumple virus
—host range, 522
—vector, 699
Benner, H. I., 237
Bennett, G. A., 1146
Benson, D. M., 818, 886, 977
Bergdahl, D. R., 270
Bergstrom, G. C., 539
Berkenkamp, B., 651
Bernard, E. C., 137
Berry, R. W., 101
Bettiga, L. J., 599
Beute, M. K., 188
Biddle, J. A., 620
Bidne, K. G., 632
Bingaman, O., 922
Biological control
—bacteria for peanut leaf spot, field study, 442
—*Botrytis cinerea* on roses, epiphytes, 799
—gliotoxins for *Rhizoctonia*, 34
—*Hirsutella rhossiliensis* to *Criconemella xenoplax*, 832
—papaya ringspot virus, mutants for cross-protection, 491, (495)
—*Pseudocercospora* for sicklepod control, 44
—*Rhizoctonia*-like fungi for Rhizoctonia root rot of bean, 167
—*Rosellinia necatrix* by *Trichoderma* and solarization, 365

—*Trichoderma* for Fusarium crown rot of tomato, in field, 587
Bipolaris spp.
—*B. oryzae*, on wild rice, yield losses and epidemics, 419
—*B. sacchari*, on sugarcane, specificity, 450
—*B. sorghicola*, on sorghum, leaf spot in Mississippi, 1045
—*B. sorokiniana*: on barley, kernel discoloration cause, genotype and environment effect, 500; on bluegrass, surfactant effect on ethylene and chlorophyll content, 149
Bird, G. W., 446, 552
Bishop, A. L., 617
Bissett, J., 651
Bitterlin, M. W., 408
Bitters, W. P., 397
Black, L. L., 834
Blackeye cowpea mosaic virus, strain from South Carolina, characterization, 243, (245)
Black walnut, stem canker, in Kansas, 557
Blaise, Ph., 574
Bledsoe, A. M., 599
Blueberry
—genotype response to *Botryosphaeria dothidea*, 710
—mycoplasmalike organisms in, thermotherapy for, 36
—pollen germination, pesticide effects on germination, 326
—stunt of, mycoplasmalike organism from, periwinkle infection by, 1045
Blueberry red ringspot virus, detection in sap, 536
Bockholt, A. J., 518
Boland, G. J., 934
Bolkan, H. A., 1001
Bonde, M. R., 629
Bonman, J. M., 127, 850
Bost, S. C., 376
Bostian, B., 254
Botryodiplodia theobromae, on Texas citrus, trunk lesions, 848
Botryosphaeria spp.
—*B. dothidea*, on blueberry, genotype response, 710
—*B. ribis*, on *Eucalyptus*, pathogenicity and symptomatology, 140, (141, 143, 144)
Botrytis cinerea
—on fruit, volatiles inhibitory to, 316
—on grape, canopy management for control, 599
—on pear in storage, surfactant for, 240
—on rose, biocontrol with epiphytes, 799
Branch, W. D., 268
Brassica spp., black rot of, Nyolate seed treatment for, 27
Bremia lactucae
—on lettuce, oospore production, 63
—metalaxyl-resistant pathotype of, characteristics in United Kingdom, 763
Brennan, E., 121
Brenneman, T. B., 87, 546
Bristow, P. R., 326
Broccoli
—disorders in New York market, 1151
—Verticillium wilt, outbreaks in Italy, 1144
Brome mosaic virus, on cowpea, systemic infection, 557
Brooks, J. L., 603
Brown, D. A., 907
Brown, G. E., 319
Brown, J. K., 522, 699
Brown, S. L., 919
Bruehl, G. W., 727
Bruton, B. D., 259
Buco, S., 174
Buffalograss, bunt of, in Oklahoma, 651
Burnes, P. M., 281
Burpee, L. L., 97
Burr, T. J., 617

Cabbage
—black rot, resistance sources, 263
—disorders in shipment, New York market, 1151
—sugar beet cyst nematode on, fenamiphos for control, 552
—yellows control by solar heating and cabbage residues, 217, (218, 219)
Cactus, basal stem and root rot, *Fusarium* cause, 1018
Calcium, apple decay affected by, postharvest, 78
Caldwell, J. D., 374
Cameron, H. R., 944
Campbell, R. N., 18, 806
Canfield, M. L., 412
Cantaloupe (see also Muskmelon), *Macrophomina phaseolina* infection, factors, 259
Cappellini, R. A., 380, 472, 852, 947, 1054, 1151
Capsicum spp.
—*C. annuum*: bacterial spot of, phenotypes associated, 1075; shipments in New York market, disorders of, 380
—*C. frutescens*, potato virus Y and tobacco etch virus on, in Sudan, 557
Cardoso, J. E., 167
Carey, A. C., 163
Caristi, J., 1147
Carlson, G. A., 459
Carrot, shipment disorders in New York market, 1054
Carson, M. L., 549
Cashion, N. L., 94
Casper, D. H., 903
Cassava common mosaic virus, on chaya, in Mexico, 353
Cassia obtusifolia
—biocontrol of, *Pseudocercospora* for, 44, (46)
—*Fusarium oxysporum* on, herbicide and rhizosphere relation, 919
Castanto, M., 51
Castor, L. L., 969
Catharanthus roseus, mycoplasmalike organism on, 1045
Cauliflower disorders in New York market shipments, 1151
Cavin, C. A., 1098
Celery
—disorders in shipment, New York market, 1054
—Fusarium wilt, inoculum and soil factors, 1086
—Fusarium yellows of, in Texas, 651
Cephalosporium gramineum, on wheat, soil pH effect, 727
Ceponis, M. J., 380, 472, 852, 947, 1054, 1151
Ceratocystis ips, bark beetle association, pathogenicity, 879
Cercospora spp.
—*C. arachidicola*, on peanut, biocontrol with bacteria, 442
—*C. asparagi*, on asparagus: fungicides for, 254; in Malaysia, 1146
—*C. fusimaculans*, on sorghum, foliar disease, 759, (759)
—*C. zeae-maydis*: on corn, epidemic in Ohio, 281; on corn, tillage effect on spots and conidia, 329; corn plant age, cultivar, and cercosporin factors, 603
Cervantes, L. A., 240
Chala, V. H., 750
Chambers, K. R., 736
Chang, H. L., 969
Charudattan, R., 44
Chase, A. R., 186, 509, 525, 527, 845
Chemotherapy, cherry buckskin and peach yellow leafroll diseases, tetracycline formulations, 119
Cherry
—cherry buckskin and peach yellow leafroll diseases of, chemotherapy, 119
—sweet, Prunus necrotic ringspot virus of, serotypes, 91
Chet, I., 365, 587
Chickory, Verticillium wilt, 1144
Chickpea
—Ascochyta blight of, first report in Western hemisphere, 192
—Verticillium wilt of, in Tunisia, 101
Chiu, R.-J., 491
Chlormequat chloride, bacterial diseases on *Hibiscus* affected by, 186
Cho, J. J., 505
Christensen, N. W., 54
Chrysanthemum, Fusarium wilt of, temperature effect, 1106
Chrysomyxa weirii, on spruce, needle weight as infection measure, 270
Chun, D., 811
Chung, H. S., 1035
Churchill, H., 761
Ciaccio, C. M., 149
Ciccarese, F., 1144
Cirulli, M., 1144
Citrus
—Botryodiplodia trunk lesions, in Texas, 848
—canker: in Florida, history and prospects, 388, (389), 956; survival in debris and soil, 1094
—surface disinfectants for, biological treatment, 319
Citrus exocortis viroid, on *Citrus medica*, flower and fruit structure effect, 397, (397-399)
Civerolo, E. L., 388, 430, 956
Cladosporium herbarum, on stored prunes, chemical control, 14
Claflin, L. E., 30
Clavibacter xyli, on sugarcane, detection method, 691
Claypool, P. L., 254
Clematis spp., root-knot nematode of, in North Dakota, 376
Clover, subterranean, foliar diseases of, biomass and yield effect, 350
Clover yellow vein virus, on alyceclover, in Georgia, 192
Cnidoscolus aconitifolius, cassava common mosaic virus infections of, in Mexico, 353
Cochliobolus bicolor, on sorghum, new leaf spot in India, 651
Coconut palm, red ring disease of, 193, (194, 195)
Coffey, M. D., 1045, 1046
Coffman, W. R., 539
Cole, A., 91
Cole, D. L., 113
Cole, H., Jr., 438
Cole, M. J., 102
Colletotrichum spp.
—*C. caudatum*, on indiangrass, leaf spot from, 348, (349)
—*C. coccodes*: on velvetleaf, first report, 281; weeds as hosts, 643
—*C. fragariae*, on strawberry, resistance and environment, 834
—*C. graminicola*: on corn, grass hosts, 809; on sorghum, races of, 402, (403); on sorghum, yield loss from, 803

Computers, expert systems, use in plant pathology, 866
Converse, R. H., 36, 536
Conway, K. E., 254, 376, 719
Conway, W. S., 78, 1003, 1084
Cooley, S. J., 651
Cooper, K. M., 1101
Corn
—aflatoxin occurrence in Haiti, 969
—aflatoxin production in, genetic control, 426
—anthracnose of, grass hosts, 809
—*Fusarium moniliforme* on kernels of, harvest date and host factors, 311
—*Fusarium proliferatum* on, pathogenicity, 281
—gray leaf spot: age, cultivar, and cercosporin relation, 603; epidemic in Ohio, 281; tillage effect on development and airborne conidia, 329
—northern leaf blight of, yield loss from, 940
—root infection and seedling emergence, fungal isolate effect, 736
—slow-rusting resistance in, identification of inbreds and crosses, 518
—stalk rot fungi of, in Illinois, 135
—Stewart's wilt, first report in Louisiana, 281
—sweet, rust resistance in, 824, (826)
Cornus florida, leaf blight, symptoms, 555, (555, 556)
Correa, F. J., 915
Correll, J. C., 248
Cotter, H. V. T., 761
Cotton
—aflatoxin in seed of, seasonal formation, 174
—Alternaria leaf spot: resistance, 1082; temperature-induced suppression, 1138
—boll infection by *Aspergillus*, aflatoxin and model study, 997, (998-1000)
Cotton leaf crumple virus
—growth stage inoculation, 699
—host range and vectors, 522
Cotty, P. J., 1082, 1138
Couch, H. B., 873
Couey, H. M., 1029
Cowpea (see also Southern pea)
—blackeye cowpea mosaic virus strain on, characterization, 243, (245)
—brome mosaic virus of, systemic infection, 557
Cowpea chlorotic mottle virus, on peanut, latent, in Georgia, 101
Cowpea mild mottle virus, on bean and mung bean, in Tanzania, 557
Cox, D. J., 883
Craig, J., 356
Creswell, T. C., 710
Criconemella xenoplax, suppression by *Hirsutella rhossiliensis*, 832
Cristulariella moricola, on pecan, fungicide evaluation, 1010, (1012)
Cronartium himalayense, on *Pinus roxburghii*, in Nepal, 761
Crop rotation
—*Rhizoctonia* on potato, 433
—soybean cyst nematode affected by, 23
Crute, I. R., 763
Cruz, F. C. S., 792
Cryphonectria spp., on *Eucalyptus*, basal cankers and coppice failure, in Florida, 358, (359)
Csinos, A. S., 268
Cucumber
—downy mildew of, metalaxyl resistance, 1045
—multiple-pathogen inoculation, 275, (278, 279)
Cucumber mosaic virus, legume strain, on potato, 18
Cucurbit
—*Sphaerotheca fuliginea* on, perithecia in North Carolina, 761
—viruses of, detection in New Jersey, 40
Culver, J. N., 1080
Cunfer, B. M., 1109
Curl, E. A., 919
Curvularia lunata, on bentgrass, leaf clipping and heat stress effect, 873
Cylindrocladium spp.
—*C. crotalaria*, on kiwifruit, root rot, 374, (374)
—*C. spathiphylli*, on foliage plants, pH and temperature effect, 509
Cyperus rotundus, root-knot nematode of, in Georgia, 376
Cyphomandra betacea, VA mycorrhizae on, nematode effect, 1101, (1103, 1104)

Dale, J. L., 1045
Dalrymple, L. W., 783
Damicone, J. P., 81, 332
Darrah, L. L., 426
Dasheen mosaic virus
—control by tissue culture, 958
—on taro, in China, 837, (838)
Datnoff, L. E., 113, 132, 734
Davila, D., 848
Davis, J. R., 482
Davis, M. J., 192
Davis, R. F., 40, 497
Davis, R. M., 848
Deahl, K. L., 430
Dean, J. L., 450
de Dios, T. I. V., 127
Delserone, L. M., 438
Delwiche, P. A., 155
Demski, J. W., 101, 192
Dendroctonus terebrans, blue-stain fungi associated with, 879
Denny, R., 821
Dernoeden, P. H., 226
Dewan, M. M., 1146
Diagnosis, bacterial streak of sorghum, dot-immunobinding assay, 30
Diaporthe phaseolorum, on soybean: physiologic specialization, 815; seed infection factors, 209; stem canker related to seed infection, 620
Dickson, M. H., 263
Donald, P. A., 466
Douglas-fir, seedling root necrosis, *Fusarium* cause, 651
Drake, S. R., 585
DuCharme, E. P., 388, 956
Duffus, J. E., 557
Dufresne, L. A., 629
Duncan, H. E., 329
Dunleavy, J. M., 1112
Dunn, R. A., 68
Du Plessis, H. J., 1078
Durán, J. M., 101
Duran-Vila, N., 397
Durand, D. P., 237
Dutky, E. M., 376

Eastman, C. E., 469
Easton, G. D., 937
Eayre, C. G., 832
Echandi, E., 167
Editorial
—Barnes, J. M., national issues in plant pathology, 203
—Campbell, C. L., phytopathology history, directions, 111
—Epstein, A. H., balance in plant pathology, 296
—Horne, C. W., merchandising plant pathology, 1064
—Kelman, A., forest pathology research support, status, 387
—Moore, L. W., instrumentation for biotechnology, analysis, 772
—Pedersen, W. L., manuscript location, 679
—Ramsdell, D. C., nomination process, 5
—Smith, D. H., and Hickey, K. D., plant pathology at experiment station, 480
—Vidaver, A. K., APS Council meetings, 572
—Wick, R. L., disease clinics, 955
—Wilson, C. L., exotic plant pathogens, 863
Education (see also Teaching), plant pathology, core curriculum, 857
Ehret, G. R., 623
Eisenback, J. D., 281
El-Gholl, N. E., 555
Elliott, M. S., 353
Elliott, V. J., 248
Ellis, M. A., 981
Elmer, W. H., 1086
Endophytes
—in Poaceae, widespread distribution, 340
—on tall fescue, in USA, 783, 1021
English, J. T., 358
Enterobacter cloacae, on papaya, internal yellowing, 1029, (1030)
EPINFORM, expert system for predicting wheat disease epidemics, 1147
Epstein, A. H., 632
Erratum, vol. 70, no. 11, 1986, 375
Erwin, D. C., 181
Erwinia spp., on potato, revision of terminology proposal, 283
—*E. carotovora*, on sugar beet, identification and aggressiveness in Texas, 602
—*E. chrysanthemi*, on alfalfa, sprout rot from, 786
—*E. stewartii*, on corn, in Louisiana, 281
Erysiphe graminis, on wheat, virulence spectrum in New York, 539
Eucalyptus spp.
—*E. grandis*, basal cankers and coppice failure, in Florida, 358, (359)
—*E. nitens*, Mycosphaerella leaf spot, growth effect, 1025
—*E. radiata*, *Botryosphaeria ribis* infection of, pathogenicity and symptomatology, 140, (141, 143, 144)
Eversmeyer, M. G., 456
Exserohilum turcicum, on corn, yield loss from, 940

Faan, H. C., 837
Farrald, C. J., 848
Feder, W. A., 332
Ferguson, M. W., 850
Fernandez, J. A., 752
Ferris, H., 452
Ferro, D. N., 81
Fertilizer
—chloride, wheat rust affected by, 54
—Xanthomonas leaf spot of schefflera affected by, rates, 527
Fescue, endophyte of, incidence and distribution in USA, 783, 1021
Filbert, apple mosaic virus of, in USA, 944
Fir, rust of, needle weight as infection measure, 270
Fisher, C. G., 254
Fletcher, J., 469, 1045
Flores, V., 101
Focus, 8, 112, 208, 297, 471, 481, 573, 680,

773, 865, 957
Fong, W. G., 639
Forbes, G. A., 145
Forster, R. L., 272
Francis, J., 639
Frank, J., 922
Franklin, J. D., 316
Frederiksen, R. A., 145, 518, 759
Freeman, S., 365
Fridlund, P. R., 585
Frisina, T. A., 977
Frisullo, S., 1144
Fumigants, soybean nematode control, with wheat rotation and tillage choice, 323
Fungicides (general) (see also Fungicides, specific)
—blueberry pollen germination affected by, 326
—Cercospora blight on asparagus, disease severity and yield effect, 254
—*Penicillium* on tulip bulbs controlled by, 307
—prune storage decay, postharvest, 14
—resistance in, industrial activities, 652
—Rhizoctonia root rot of sugar beet, suppression, 694
—Sclerotinia blight of peanut, four fungicides tested, 87
—seed and foliar treatments, wheat Karnal bunt, 94
—seed and soil treatments for dwarf bunt of wheat, 839
—seed treatment for seedborne *Ascochyta* on lentil, 58, (60)
—snap bean rust and residue tolerance, 639
—sterol-biosynthesis-inhibiting, for take-all of wheat, seed treatment, 743
—tan spot sensitivity to, in wheat, 907
—tomato bacterial speck, application timing effect, 405
—zonate leaf spot of pecan, techniques for evaluation, 1010, (1012)
Fungicides (specific) (see also Fungicides, general)
—benomyl, *Monilinia* resistant isolates, on *Prunus*, 893
—benomyl and propiconazole, for rice sheath blight, 222
—bitertanol, for dwarf bunt of wheat, 839
—chlorothalonil, for alfalfa leaf spot and spring black stem, 752
—dicloran, iprodione, and vinclozolin, for Sclerotinia blight of peanut, 546
—flusilazol and pyrifenox, for apple scab control, rates and spray intervals, 623
—metalaxyl: cucumber downy mildew resistance, 1045; mildew-resistant pathotype of, in United Kingdom, 763; *Phytophthora cinnamomi* on azalea, residual activity, 886; for Phytophthora root rot of azalea, 818
—Nyolate, black rot control by seed treatment, 27
—pencycuron, for *Rhizoctonia* and *Rhizoctonia*-like fungi on bean, 515
—phenylamide, *Phytophthora infestans* sensitive to, monitor methods, 422
—surfactant Ag-98, for pear fruit decay, 240
—thiabendazole, for wheat dwarf bunt, 839
Funk, C. R., 1021
Fusarium spp.: on bluegrass turf, etiology, 774; on wheat, in New York, pathogenicity, 177
—*F. acuminatum*, wheat seed roots infected by, symptomless, 130
—*F. equiseti*, on muskmelon and mixed melons, seedling disease, 370
—*F. graminearum*, on soybean, mycotoxin relation, 1146
—*F. moniliforme*: on asparagus, crown and stem rot, management practices, 81; on corn, kernel infection, harvest date and host factors, 311
—*F. moniliforme* var. *subglutinans*, on pine seedlings, dieback from, 161
—*F. oxysporum*: on bean, germ plasm reaction, 990, (991); on cabbage, solar heating for control, 217, (218, 219); on cactus, basal stem and root rot from, 1018; on celery, inoculum density, organic soil factors, 1086; on celery, in Texas, 651; on Chrysanthemum, temperature effect, 1106; on Douglas-fir, root necrosis in Oregon, 651; on muskmelon, in Texas, 469; on sicklepod, herbicide and rhizosphere relation, 919; on soybean, nematode interaction, 20; on tobacco, cyst nematode relation, 1129; on tomato, biocontrol with *Trichoderma*, 587; on tomato, in Pennsylvania, 469; on watermelon, race 2, new race to USA, 233
—*F. proliferatum*, on corn, occurrence in Minnesota, 281
—*F. solani*: on bean, negative herbicide effect, 627; on black walnut, in Kansas, 557; on poinsettia, in Wisconsin, 469
—*F. tabacinum*, on sunflower, in Italy, 1043, (1044)

Gaeumannomyces graminis
—on bentgrass, management with nitrogen, sulfur, and phenyl mercury acetate, 226
—on wheat: first report in Texas, 850; seed treatment with sterol biosynthesis-inhibiting fungicides, 743
Gage, S. H., 446
Galindez, W., 756
Ganoderma lucidum, on grapevine, infection, 251, (252)
Garcia, C., 743
Gardiner, D. C., 1106
Gardner, C. A. C., 426
Gaunt, R. E., 102
Geary, T., 358
Geballe, G. T., 163
Geiger, J. P., 298
George, R. A., 36
Georgi, L., 376
Geranium, bacterial leaf and stem rot, in Minnesota, 821
Gerbera, fungal root rot, Australia, 1146
Gessler, C., 574
Gholson, L. E., 462
Gilbert, R. G., 739
Gilbertson, R. L., 251, 627
Gildow, F. E., 922
Gill, B. S., 714
Gillaspie, A. G., Jr., 691
Gilly, S. P., 358
Gitaitis, R. D., 615
Globodera tabacum, on tobacco, Fusarium wilt relation, 1129
Gnomonia nervisedɑ, on pecan, vein spot, 1146
Golden, A. M., 376
Gonsalves, D., 408, 491, 704
Gooding, G. V., Jr., 38
Gordon, T. R., 248
Goth, R. W., 629
Gotlieb, A. R., 281
Goulty, L. G., 97
Gourley, L. M., 1045
Goynes, W. R., 997
Graham, J. H., 1094
Grand, L. F., 761
Grandison, G. S., 1101
Grape
—Botrytis bunch rot of, canopy management for control, 599
—crown gall of, bacterial populations in soil, 617
—downy mildew of, infection efficiency, 981
—*Ganoderma lucidum* on, infection and colonization, 251, (252)
Grapevine leafroll, on grape, viral antigen association, serological detection, 704
Grau, C. R., 155, 415
Grauke, L. J., 1146
Gray, F. A., 74, 752
Greene, G. M., II, 1084
Greenhalgh, B., 121
Gremmeniella abietina, on pine in Quebec, European race, 1041
Griffin, G. J., 876
Griffith, R., 193
Grogan, R. G., 370
Gross, K. C., 78
Grove, G. G., 806
Grybauskas, A. P., 376
Gubler, W. D., 370, 599
Gulya, T. J., 466
Gumpf, D. J., 469
Gupta, V. K., 850
Gwinn, K. D., 603
Gymnocladium juniperi-virginianae, on apple, shoot culture screening method, 1119

Hadden, C. H., 376
Halila, H. M., 101
Halisky, P. M., 1021
Hall, D. H., 18, 229
Hall, R., 934
Halliwell, R. S., 750
Hamm, P. B., 651
Hanchey, P., 130
Hane, D. C., 125
Haning, B. C., 197, 452
Hannan, R. M., 58, 192, 1006
Hannon, C. I., 956
Hardy, G. E., 1146
Harman, G. E., 27
Harrabi, M. M., 101
Harrison, C. W., 750
Hartman, G. L., 113
Hartman, R. D., 958
Harvey, R. G., 415
Hatfield, J. D., 632
Hattingh, M. J., 789
Hawksworth, F. G., 342
Haynes, D. L., 446
Headley, J. C., 459
Hecker, R. J., 694
Heimann, M. F., 469
Hendersonula toruloidea, on mango, in Niger, 1045
Hepp, R. F., 536
Herbert, S. J., 332
Herbicides
—bean root rot relation, weeds, 627
—*Fusarium* on sicklepod, rhizosphere effect, 919
—leafy mistletoe control on trees in California, 533, (534)
Herner, R. C., 307
Heterodera spp.
—*Heterodera glycines*: race 5, on crops and seeds, 23, (25); on soybean, Florida populations, genetic variation, 68; on soybean, in Nebraska, 1146; on soybean, tillage and wheat rotation with chemicals for control, 323
—*Heterodera radicicolɑ*, on southern pea, cultivar resistance, 399
—*Heterodera schachtii*, on cabbage, fenamiphos effect on, 552

Hevea brasiliensis, root rot diseases of, 298, (298, 300, 301, 304)
Hibberd, A. M., 1075
Hibino, H., 792
Hibiscus rosa-sinensis
—bacterial diseases on 10 cultivars of, chlormequat chloride effect on, 186
—vein-yellowing disease of, rhabdovirus, 731, (732, 733)
Hickey, K. D., 1084
Higley, P. M., 815
Hill, J. H., 237
Hill, J. P., 130
Hirsutella rhossiliensis, *Criconemella xenoplax* suppressed by, 832
Hiruki, C., 1014
Hobbs, H. A., 747
Hodges, C. F., 149
Hoffmann, J. A., 94, 839
Hofmeister, F. M., 44
Holub, E. B., 155
Horseradish, *Spiroplasma citri* on, citrus-infecting strain, 469
Horst, R. K., 1106
Horton, J. L., 752
Hosford, R. M., Jr., 376, 883
Howell, W. E., 91
Hoyos, E., 896
Hsu, H. T., 272
Hu, J. S., 272
Huber, D. M., 49
Hudler, G. W., 65
Huff, D. R., 651
Humaydan, H. S., 27
Hunger, R. M., 850, 907
Hunter, J. E., 263
Huot, C. M., 419
Hurtt, S. S., 930
Hwang, B. K., 1035
Hymowitz, T., 891

Industry News, 1060, 1156
Insecticides, chlorpyrifos, *Pythium splendens* and begonia relation, 525
Instructions to authors, 3
Integrated disease control, pea wilt and root rot, 9, (10, 11)
Integrated pest management
—aerial pathogens, threshold determinations, 456
—asparagus crown and stem rot, 81
—courses and curricula, special report, 197
—economic aspects, threshold determinations, 459
—economic threshold determination, components, 452
—forest pest management research in South, 204, (205)
—Phytophthora root rot of avocado, 1046
—soilborne pathogens, threshold determinations, 452
—threshold techniques, adaptation for farm operations, 462
Ireland, K. F., 900
Irrigation, peanut diseases affected by, in Virginia, 512
Isleib, T. G., 811

Jacobi, W. R., 342
Jaffee, B. A., 832
Jamil, F. F., 809
Jardine, D. J., 405
Javaheri, F., 113
Jeger, M. J., 222, 259
Jeyarajan, R., 651
Jindal, K. K., 850
Johnson, D. A., 192
Johnson, J. W., 1109
Johnson, L. F., 137
Johnson-Cicalese, J. M., 1021
Johnsongrass, maize dwarf mosaic virus of, strain comparison in Israel, 687, (688)
Jones, A. L., 623
Jones, J. B., 845
Jones, R. K., 222
Jones, R. W., 34
Jones, W. B., 266
Jonson, G. B., 792
Joung, H., 1119
Justin, J., 121

Kaewruang, W., 1146
Kaiser, W. J., 58, 192, 635, 1006
Kanaskie, A., 651
Kane, R. T., 177
Kang, M. S., 281, 450
Kao, L. B., 811
Katan, J., 365
Katz, B. H., 617
Kautzman-Eades, D., 130
Kaye, L. M., 97
Ke, C., 837
Kelman, A., 283
Kemperman, J., 761
Kennedy, B. W., 821
Keswani, C. L., 557
Khan, R. A., 181
Kim, H. K., 994
King, S. B., 311
Kirby, H. W., 452
Kiwifruit, Cylindrocladium root rot of, 374, (374)
Knox-Davies, P. S., 1038
Knudsen, G. R., 442
Koh, Y. J., 1035
Kohls, C. L., 419
Koike, S. T., 1045
Köller, W., 1066
Komm, D. A., 876
Kommedahl, T., 281
Korban, S. S., 1119
Korsten, L., 850
Kostka, S. J., 930
Kotcon, J. B., 1122
Kotzé, J. M., 850
Kramer, C. L., 456
Krass, C. J., 388, 956
Krausz, J. P., 374
Kretsch, J., 71
Kroll, T. K., 734
Kucharek, T. A., 336
Kuhlman, E. G., 161
Kuhn, C. W., 101
Kunoh, H., 361

Lacey, P. E., 997
Lachance, D., 1041
Lacy, G. H., 734
Lacy, M. L., 1086
Laflamme, G., 1041
Lakshmanan, P., 651
Lalancette, N., 981
Lamberti, F., 864
LaMondia, J. A., 1129
Lamppa, R. S., 984
Latham, A. J., 1010
Latin, R. X., 803, 866
Latorre, B. A., 101
Lawton, M. B., 97
Leach, J. E., 30
Leach, S. S., 433
Leath, K. T., 900
Lee, E. J., 127
Lee, L. S., 174, 997
Lee, R. F., 119
Lee, T. S., 49
Lehman, P. S., 68
Lehman, W. F., 181
Lentil
—*Ascochyta lentis* on, seed-treatment for, 58
—pea enation mosaic virus on, resistance, 635
Leptographium spp., blue-stain caused by, bark beetle association, 879
Leptosphaeria nodorum, on wheat, resistance, incubation and latent periods, 1109
Leptothyrum pomi, on six hosts, scanning electron microscopy, 361, (362, 363)
Le Roux, J., 1115
Leslie, J. F., 828
Lettuce
—downy mildew, oospore production, 63
—tomato spotted wilt virus of, epidemiology in Hawaii, 505
Leveillula taurica
—host range, specificity, and biometrical measurements, 248, (249)
—on tomato, inoculum source and yield effect, 266
Levy, C., 113
Life support systems, ecological, plant pathology role, 580
Lightner, G. W., 380, 472, 852, 947, 1054, 1151
Lim, S. M., 891
Lindow, S. E., 994
Lipps, P. E., 281
Liu, H. Y., 557
Lockhart, B. E. L., 731
Lockwood, J. L., 811
Lommel, S. A., 714
Long, D. L., 903, 1089
Lorbeer, J. W., 63
Loria, R., 1122
Love, C. S., 727
Lowe, S. K., 119
Lu, K. C., 837
Ludwig, J. W., 263
Lundquist, J. E., 1025
Lyophilization, methodology for bacterial strain storage, 615

MacDonald, D. H., 23
MacDonald, J. D., 799
MacGuidwin, A. E., 446
Macrophomina phaseolina
—on cantaloupe, epidemiology, 259
—host preference, chlorate resistance relation, 828
Macrosiphum euphorbiae, strawberry crinkle virus vector, to *Nicotiana*, 972, (973, 974)
Madden, L. V., 981
Maize dwarf mosaic virus, corn and johnsongrass strains, in Israel, 687, (688, 689)
Mango, hendersonula dieback of, in Niger, 1045
Manisterski, J. 842
Manning, W. J., 81, 332
Mansvelt, E. L., 789
Maple
—leaf scorch of, xylem-inhabiting bacteria, 930, (931, 932)
—Norway, tar spot epidemic in New York, 65, (66, 67)
Marholz, G., 101
Marigold, root-knot nematode on, reproduction, 281

Marois, J. J., 599, 799
Marshall, P. T., 761
Martin, B., 47
Martin, C., 756
Martyn, R. D., 233, 469, 651
Mathre, D. E., 743
Mau, R. F. L., 505
McCain, A. H., 786
McCune, B., 558
McGee, D. C., 209, 620
McGuire, R. G., 1094
McIntyre, G. A., 192
McKenry, M. V., 71, 864
Meeres, J., 651
Melampsora medusae, on *Populus deltoides*, in Africa, 761
Melêndez, P. L., 1006
Meloidogyne spp., on tomato, resistance detection using electrophoresis, 1001
—*M. chitwoodi*: on alfalfa, reproductive efficiency in Pacific Northwest, 345, (347); on potato, in Colorado, 192
—*M. graminicola*, on purple nutsedge, first report in Georgia, 376
—*M. hapla*: on *Clematis*, in North Dakota, 376; on marigolds, reproduction, 281; on onion, pathogenicity and population dynamics, 446
—*M. incognita*, on tamarillo, mycorrhizal relation, 1101, (1103, 1104)
Melouk, H. A., 1080
Mengistu, A., 632
Meronuck, R. A., 287
Merrill, L. M., 342
Michailides, T. J., 14, 533, 893
Microdochium bolleyi, on wheat, pathogenicity in New York, 177
Miczynski, K. A., 1014
Mihail, J. D., 699
Miles, G. E., 866
Miles, M. R., 500
Milholland, R. D., 710
Miller, J. D., 192
Miller, J. W., 388, 956, 1094
Miller, S. G., 65
Miller, T., 204
Mills, P. R., 557
Mink, G. I., 91, 557
Minton, N. A., 20, 376
Mirocha, C. J., 969
Mitchell, D. J., 555
Mitchell, J. K., 1018
Mitchell, W. C., 505
Mizuki, M. K., 40
Model, apple scab, teaching aid on microcomputers, 574
Mohan, L., 651
Mohan, S., 651
Mojtahedi, H., 345
Monilinia spp., on prune and apricot, benomyl-resistant isolates, 893
—*M. fructicola*: on fruit, volatiles inhibitory to, 316; on peach fruit, calcium treatment, 1084
Montasser, M. S., 497
Moore, L. W., 412, 724
Morales, F. J., 51
Morgan, P., 651
Moss, M. A., 1045
Motes, J. E., 254
Mu, L., 1125
Muchena, P. K., 552
Muchovej, J. J., 873
Mucor piriformis, on stored pear, surfactant for, 240
Muehlbauer, F. J., 635
Mughogho, L. K., 647, 759
Muir, P. S., 558
Munnecke, D. E., 217
Murphy, J. F., 243
Muskmelon (see also Cantaloupe)
—*Fusarium equiseti* on, seedling disease, 370
—Fusarium wilt, in Texas, 469
Mussell, H., 313
Mycoplasmalike
—diseases, cherry buckskin and peach yellow leafroll, chemotherapy, 119
—organisms: on blueberry, thermotherapy for, 36; bunchy-top of papaya, latex-flow diagnosis test, 192; on periwinkle, 1045; rice orange leaf, in the Philippines, 792, (792, 793)
Mycorrhizae, VA, on tamarillo, nematode relation, 1101, (1103, 1104)
Mycosphaerella spp.
—*M. nubilosa*, on eucalyptus, leaf spot, 1025
—*M. rabiei*, on chickpea, first report in Western Hemisphere, 192
Mycotoxins, aflatoxin
—in corn from Haiti, 969
—in cottonseed, seasonal formation, 174
—production in corn, genetic control, 426
—on soybean, *Fusarium* cause, 1146
Myzus persicae, vanilla virus vector, Polynesia, 1125

Nagle, M. E., 937
Naik, D. M., 132
Namuco, L. O., 539
Nandris, D., 298
Nasu, H., 361
Nayes, J. B., 984
Nelson, B., 580
Nelson, L. A., 323
Nelson, M. R., 522, 699
Nelson, P. E., 1106
Nematicides
—1,3-dichloropropene, for root lesion nematode on potato, 1122
—fenamiphos, for sugar beet cyst nematode control on cabbage, 552
Nematodes
—on almond, survey in California, 71
—in orchards, British Columbia, 85
Newman, M. A., 376
Nicholson, R. L., 809
Nicole, M., 298
Nicotiana spp., strawberry crinkle virus of, aphid transmission, 972
Nishijima, K. A., 1029
Nishijima, W. T., 681
Nitrogen
—Rhizoctonia root rot of wheat affected by, tillage, 125
—take-all of bentgrass, management, 226
—wheat tan spot affected by, 49
Norton, J. M., 27
Nyland, G., 119

Ochor, T. E., 311
Odvody, G. N., 759
Ogawa, J. M., 14, 533, 893
Ogle, W. L., 399
Oldfield, G. N., 469
O'Leary, A. L., 623
Onobrychis viciifolia
—Phytophthora seed rot and seedling blight, 74
—*Septoria orobina* on, new North American record, 651
Opgenorth, D. C., 893
Orchids, virus infections in Polynesia, 1125, (1126, 1128)
Orser, C., 994
Osborne, L. S., 186, 525
Osmeloski, J., 313
Otto, B. E., 316
Ouimette, D. G., 1045

Pacumbaba, R. P., 557
Papaya
—bunchy-top, diagnosis by latex-flow test, 192
—internal yellowing, bacterial cause, 1029, (1030)
—postharvest diseases of, 681, (682-685)
Papaya ringspot virus, mutants of, cross-protection use, 491, (495)
Paratylenchus projectus, on sunflower, growth effect, 975
Parmeter, J. R., Jr., 533
Pastor-Corrales, M. A., 990
Pataky, J. K., 824
Payne, G. A., 329
Pea, root rot complex, integrated control, 9, (10, 11)
Pea enation mosaic virus, lentil resistant to, 635
Peach, calcium effect on fruit decay, 1084
Peanut
—leaf spot, bacteria for control, 442
—Sclerotinia blight of: control, 87; control with fungicides, 546
—*Sclerotium rolfsii* on, resistance in field, 268
—sprinkler irrigation effect on diseases, in Virginia, 512
—stem rot of, resistance evaluation, 188
—viruses of, antigen coating and protein A coating ELISA procedure, 747
Peanut mottle virus, on alyceclover, in Georgia, 192
Peanut stripe virus, resistance in *Arachis*, 1080
Pear
—blossom blast, *Pseudomonas* in buds, 789
—decay fungi of, nonionic surfactant for, 240
—disorders in shipments, in New York market, 852
Pearson, C. A. S., 828
Pearson, D. L., 30
Pecan
—vein spot, in Illinois, 1146
—zonate leaf spot of, fungicide evaluation, 1010, (1012)
Pedersen, W. L., 940
Penicillium spp., on tulip bulbs, fungicides in modified atmosphere, 307, (308)
—*P. expansum*: on apple, postharvest calcium treatment, 78; on stored pear, surfactant for, 240
Pennypacker, S. P., 643
Pepper (see *Capsicum annuum*)
Percich, J. A., 419
Perkins, J. M., 940
Pérombelon, M. C. M., 283
Peronosclerospora sorghi, conidial production and storage, temperature system for, 356
Peronospora
—*P. manshurica*, on soybean, yield reduction, 1112, (1113)
—*P. tabacina*, on tobacco, factors affecting in Florida, five-year period, 336
Perry, J. B., 155
Pesticides
—on apple, canopy density effect, 613
—apple tree application, machinery factors, 606
Peterson, C. E., 275
Pettit, R. E., 34
Pfleger, F. L., 821
Phaeoisariopsis griseola, on kidney bean, in

Michigan, 915
Phakopsora pachyrhizi, on soybean, temperature and light effect on telial development, 629
Phaseolus vulgaris
—angular leaf spot of, in Michigan, 915
—bacterial pathogens, seedborne, detection, 984
—*Fusarium oxysporum* of, germ plasm reaction, 990
—Rhizoctonia root rot of, biocontrol with *Rhizoctonia*-like fungi, 167
—root rot, negative herbicide effect, 627
—rust of, chemical control and residue tolerance, 639
Phenyl mercury acetate, take-all of bentgrass, management, 226
Phialophora gregata, on soybean, leaf temperature and soil moisture relation, 632
Phipps, P. M., 87, 546
Phoma macdonaldii, on sunflower, premature death relation in North Dakota, 466
Phomopsis longicolla, on soybean, seed infection factors, 209
Phoradendron tomentosum, survey and chemical control, on trees in California, 533, (534)
Phytophthora spp.
—*P. cactorum*, on blue laceflower and baby's breath, new hosts, 281
—*P. cinnamomi*: on avocado, integrated control, 1046, (1047); on azalea, metalaxyl and population dynamics, 886; on azalea, metalaxyl treatment, 818
—*P. citricola*, on avocado fruit, in California, 1045
—*P. infestans*, sensitivity to, phenylamide fungicides, monitoring, 422
—*P. megasperma*: on sainfoin, seed rot and seedling blight, 74; on soybean, epidemic in South Dakota, 850
—*P. parasitica*, on dogwood, leaf blight caused by, 555, (555, 556)
Phytotoxin, cercosporin, corn sensitivity to resistance effect, 603
Pierce, L., 786
Pigeon pea, crown canker, basidiomycete cause, 1006, (1007-1009)
Pine
—chir pine stem rust of, in Nepal, 761
—pitch canker disease of, *Fusarium moniliforme* role, 161
—ponderosa, dwarf mistletoe of, habitat and typography factors, 342
—Scleroderris canker, European race, 1041
Pinkerton, J. N., 192, 345
Plant pathology, controlled ecological life support systems, role, 580
Plasmodiophora brassicae, resting spores of, in water, chlorine effect, 734
Plasmopara viticola, on grape, infection efficiency, 981
Pleospora herbarum, on asparagus, in Oklahoma, 376
Plum, bacterial spot, canker development, 1078
Poe, S. R., 388, 956
Pohronezny, K., 639
Poinsettia, basal stem canker of, in Wisconsin, 469
Poirier, C., 281
Pollution
—foliar symptoms, index construction, 558
—ozone: soybean inheritance response to, 332; soybean yield effect and antioxidants, 121
Poole, R. T., 509, 527
Populus deltoides, rust of, in Africa, 761
Porter, D. M., 512
Postharvest pathology
—apple and pear disorders on shipments in New York market, 852
—apple decay, controlled atmosphere and calcium chloride, 1003
—apple green crinkle disease, quality effect, 585
—carrot and celery disorders on shipments in New York market, 1054
—cauliflower, disorders on shipment in New York market, 1151
—cereal grain fungi, significance, 287, (288, 289)
—papaya, 681, (682-685)
—peach fruit decay, calcium treatment, 1084
—pear decay, nonionic surfactant for, 240
—*Penicillium*: decay of apple, calcium treatment, 78; on tulip bulbs, factors, 307
—prune storage decay, chemical control, 14
—stone fruit disorders in shipments, New York market, 947
Postman, J. D., 944
Potassium chlorate, charcoal rot and host preference relation, 828
Potato
—blackleg and other diseases, terminology revision, 283
—cucumber mosaic virus on, tuber infection, 18
—early dying, cause and management strategies, 482, (483, 486, 487)
—*Rhizoctonia* disease of, crop rotation effect, 433
—root lesion nematode, fumigation, ground water, yield, 1122
—Verticillium wilt, giant hill selection, 937
—weed plants in, *Verticillium* present on, in Peru, 756
Potato leafroll virus, detection with dot-ELISA, 795
Potato virus Y, on *Capsicum frutescens*, in Sudan, 557
Potentilla canadensis, tomato ringspot virus of, 376
Powell, C., 922
Powell, N. L., 512
Powelson, M. L., 482
Powelson, R. L., 54
Powers, T. O., 1146
Pratylenchus
—*P. brachyurus*, on soybean, *Fusarium* interaction, 20
—*P. crenatus*, on potato fumigation, ground water, and yield, 1122
Prescott, J. M., 94
Pretorius, Z. A., 542, 1133
Prince, T. A., 307
Prunus spp., *Monilinia* in orchards, benomyl resistance, 893
—*P. domestica*, decay in storage, chemicals for, 14
Prunus necrotic ringspot virus, on sweet cherry, serotypes of, 91
Pseudocercospora nigricans, biocontrol agent for sicklepod, 44
Pseudomonas spp., on rice, distribution in Latin America, 896
—*P. cichorii*, on *Hibiscus*, chlormequat chloride effect on, 186
—*P. cubensis*, metalaxyl resistance, 1045
—*P. fuscovaginae*, on rice, sheath rot in Latin America, 592, (594)
—*P. syringae*: on apple and pear, in South Africa, 789; on avocado, new disease in South Africa, 850; on grass, variation in nurseries, 724; on *Hibiscus*, chlormequat chloride effect on, 186; ice nucleation strains, variability in diseased woody plants, 412; on soybean, outbreak in Alabama, 557; on sunflower, in Spain, 101
Pseudoperonospora cubensis, on cucumber, metalaxyl resistance in Florida, 1045
Puccinia spp.
—*P. graminis*: on oats, parasitic specialization in Israel, 842; races of, in USA and Mexico, 903, 1089; on wheat, pathotypes, *Sr24*, 1115
—*P. helianthi*, on sunflower, genotype resistance, 101
—*P. hordei*, on barley, virulence spectrum in Africa and Middle East, 597
—*P. polysora*, on corn, slow-rusting resistance in, 518
—*P. recondita*, on wheat: occurrence and pathogenicity in South Africa, 1133; resistance with gene *Lr22a*, 542
—*P. sorghi*, on sweet corn, resistance, 824
—*P. striiformis*, on wheat: chloride effect on, 54; disease management in New Zealand, 102, (103)
Pumphrey, F. V., 125
Purdy, C. W., 101
Purnell, R. C., 1025
Pyndji, M. M., 213
Pyrenochaeta spp.
—*P. glycines*, on soybean: symptomatology and epidemiology, 113, (114, 115); yield effect in Zambia, 132
—*P. lycopersici*, host range and survival in soil, 806
Pyrenophora spp.
—*P. teres*, on barley, planting date effect on epidemics, 438
—*P. tritici-repentis*: growth, sporulation, pathogenicity, and fungicide sensitivity, 907; on wheat, nitrogen effect, 49; on wheat, severity and leaf position, growth stages, 883
Pyricularia oryzae
—on rice: epidemics in India and Egypt, 850; resistance to, 1035
—variability in isolates of, in Korea and Philippines, 127
Pythium spp.
—*P. arrhenomanes*, on sorghum, seedling resistance to, 145
—*P. deliense*, on sugar beet, in Texas, 469
—*P. splendens*, on Rex begonia, chlorpyrifos effect, 525

Qian, P., 137

Rai, J. B. H., 761
Raid, R. N., 643
Rajeshwari, R., 747
Raju, B. C., 186
Ramirez-Villapudua, J., 217
Ramundo, B. A., 30
Rane, K. K., 281, 879
Rasmusson, D. C., 500
Reckhaus, P., 1045
Reddick, B. B., 376, 850
Reddy, A. P. K., 850
Reddy, A. S., 747
Reddy, D. V. R., 747
Redlin, S. C., 376
Redmond, J. C., 799
Regev, S., 91
Reilly, J. J., 876
Resistance
—accessions, 263
—alfalfa to Verticillium wilt, culture filtrate use, 900
—bean to Fusarium wilt, 990, (991)
—blueberry to stem blight, 710

—cabbage to black rot, 350
—cotton to leaf spot, 1082
—lentil to pea enation mosaic virus, 635
—peanut: to stem rot, field and greenhouse evaluation, 188; to stripe virus, 1080
—pepper to bacterial spot disease, 1075
—rice to blast, yield effect, 1035
—southern pea to root-knot, 399
—soybean to stem rot, field evaluation, 811
—strawberry to anthracnose, environmental effect, 834
—sweet corn to rust, 824
—wheat: to leaf rust, conferred by gene *Lr22a*, 542; to wheat streak mosaic virus, germ plasm evaluation, 714
Rettinger, J. C., 866
Reuveni, R., 259
Reviewers, acknowledgment of, 6
Rhizoctonia spp.: from azalea, binucleate, characterization and pathogenicity, 977, (978, 980); on turfgrass, rapid identification, 47, (48)
—*R. solani*: anastomosis groups, gliotoxin sensitivity, 34; anastomosis groups of, pencycuron effect on, 515; on bean, negative herbicide effect, 627; on potato, crop rotation effect, 433; on rice, benomyl and propiconazole for control, 222; on snap bean, biological control with *Rhizoctonia*-like fungi, 167; on sugar beet, fungicides for, prelayby, 694; survival in fallow soil, 911; on wheat, tillage and nitrogen effect, 125;
Rhizoctonia solani-like fungi, isolation medium for soil, 1098, (1099)
Rhytisma spp., on maple, epidemic in New York, 65, (66, 67)
Ribeiro, O. K., 181
Rice
—bacterial sheath brown rot of, in Latin America, 592, (594, 595)
—blast epidemics in India and Egypt, 850
—blast resistance, yield effect, 1035
—grain and sheath discoloration, distribution in Latin America, 896
—orange leaf of, mycoplasmalike organism association, 792, (792, 793)
—sheath blight of, benomyl and propiconazole for control, 222
Richard, C., 761
Richardson, J., 972
Ricker, M. D., 469
Ridings, W. H., 555
Rijkenberg, F. H. J., 542, 1115, 1133
Roberts, J. J., 903
Rochow, W. F., 272
Roelfs, A. P., 903, 1089
Rosellinia necatrix, in soil, *Trichoderma* and solarization for control, 365
Ross, M. A., 49
Rouse, D. I., 482
Rowe, R. C., 482
Rowhani, A., 18
Rufty, R. C., 38
Ruppel, E. G., 627, 694
Rush, C. M., 469
Russell, T. E., 174

Saadaoui, E. M., 153, 1146
Sabet, K. K., 281
Sackston, W. E., 864
Saettler, A. W., 915
Saha, D. C., 1021
Sakimura, K., 505
Sammons, B., 530
Sams, C. E., 78, 1003
San Antonio, J. P., 430
Sanderlin, R. S., 1146
Sands, D. C., 994, 1147
Santo, G. S., 345
Satyanarayana, M. V., 647
Scaphytopius magdalensis, on blueberry, periwinkle infection, 1045
Scharen, A. L., 1147
Schefflera, Xanthomonas leaf spot of, fertilizer effect, 527
Scheinpflug, H., 1066
Scheyer, J. M., 54
Schmidt, R. A., 204
Schmitt, D. P., 323
Schoulties, C. L., 388, 956
Schubert, T. S., 319
Schuh, W., 518
Schumann, G. L., 857
Schweizer, E. E., 627
Schwenk, F. W., 828
Sclerotinia spp.
—*S. cepivorum* and *minor*, survival of sclerotia, 170
—*S. minor*, on peanut, fungicidal control, 546
—*S. sclerotiorum*: on alfalfa, crown and stem rot from, 739, (740, 741); on soybean, cultivar evaluation in field, 934; on soybean, resistance evaluation, 811
Sclerotium spp.
—*S. cepivorum*, sclerotial germination of, factors, 229, (232)
—*S. rolfsii*: on apple, population dynamics in spatial pattern, 719; on peanut, cultivars resistant to, in field, 268; on peanut, resistance evaluation, 188; on wheat, first report, Australia, 1146
Semancik, J. S., 397
Septoria spp.
—*S. glycines*, on soybean, wild species reactions to, 891
—*S. helianthi*, on sunflower, seed yield affected by, 549
—*S. orobina*, on sainfoin, new North American record, 651
—*S. tritici*, on wheat, physiologic specialization in Morocco, 153
Shane, W. W., 927
Sharma, R. C., 850
Sharp, E. L., 597, 1147
Shearer, B. L., 140
Shelby, R. A., 783
Sherald, J. L., 930
Sherwood, J. L., 850, 1080
Shew, B. B., 188
Sholberg, P. L., 14
Shotwell, O. L., 1146
Sickinger, S. M., 415
Sinclair, J. B., 113, 132, 213
Sinclair, W. A., 761
Singh, T., 213
Sisson, D. V., 839
Sivan, A., 587
Sivasithamparam, K., 1146
Skirvin, R. M., 1119
Skroch, W. A., 606, 613
Smilanick, J. L., 94
Smiley, R. W., 125, 177, 774
Smith, B. J., 834
Smith, F. D., 795
Smith, G., 121
Smith, J. D., 518
Smith, W. H., 163
Smolik, J. D., 975
Sobrino, E., 101
Solarization
—cabbage yellows control and residue effect, 217
—*Rosellinia necatrix* control with *Trichoderma*, 365
Somerville, P. A., 18, 229
Sorghastrum nutans, leaf spot of, *Colletotrichum* cause, 348, (349)
Sorghum
—*Acremonium strictum* infection, systemic and seed transmission, 647, (648)
—anthracnose of, races, 402, (403)
—anthracnose leaf blight of, grain loss from, 803
—bacterial streak of, dot-immunobinding assay, 30
—*Cercospora fusimaculans* on, foliar disease, 759, (759)
—leaf spot, new in India, 651
—Pythium seedling disease of, resistance, 145
—target leaf spot, in Mississippi, 1045
Sorrells, M. E., 177, 539
Sortland, M. E., 23
Southern pea (see also Cowpea), root-knot resistance in cultivars of, 399
Soybean
—bacterial blight, outbreak in Alabama, 557
—brown spot, wild species reactions to, 891
—brown stem rot of, leaf temperature and soil moisture relation, 632
—cyst nematode of: in Nebraska, 1146; populations in Florida, genetic variation, 68
—downy mildew, yield reduction, 1112
—*Fusarium graminearum*, mycotoxin relation, 1146
—Fusarium wilt and nematodes of, interaction, 20
—nematodes on, chemical control, 323
—ozone pollution and yield effect, 121
—ozone response, inheritance, 332
—Phytophthora root rot, epidemic in South Dakota, 850
—red leaf blotch: symptomatology and epidemiology, 113, (114, 115); yield effect in Zambia, 132
—rust of, temperature and light effect on telial development, 629
—Sclerotinia stem rot of, field evaluation, 934
—seed infection by *Phomopsis* and *Diaporthe* spp., 209
—seed thermotherapy, with heated vegetable oils, 213
—stem canker of: physiologic specialization, 815; relation between seed and stem infection, 620
—stem rot of, resistance evaluation, 811
Soybean mosaic virus, seed quality and yield effect, 237
Sozzi, D., 422
Space, ecological life support systems, plant pathology role, 580
Spathiphyllum sp., Cylindrocladium root and petiole rot of, pH and temperature effect, 509
Specht, L. P., 433, 876
Sphaeropsis sapinea, conidial dispersal, South Africa, 1038
Sphaerotheca fuliginea, on cucurbits, perithecia, in North Carolina, 761
Spiroplasma citri, on horseradish, transmission from citrus, 469
Sporidesmium sclerotivorum, survival of macroconidia, 170
Spotts, R. A., 240
Spruce
—red, *Armillaria* rhizomorph occurrence, in declining stands, 163
—rust of, needle weight as infection measure, 270
Spurr, H. W., Jr., 442
Squash, tobacco ringspot virus of, 530
Stack, R. W., 101
Stagonospora meliloti, on alfalfa, growth, sporulation, and pathogenicity, 181

Stall, R. E., 388, 956, 1075
Stasz, T. E., 27
Staub, T., 422
Stelzig, D. A., 603
Stemphylium vesicarium, on asparagus, first report of teleomorph in Washington, 192
Stenger, D. C., 972
Stephens, C. T., 307, 405
Sterol biosynthesis inhibitors, fungal resistance, 1066
Stipes, R. J., 87, 546
Stobbs, L. W., 965
Stoddard, S. L., 714
Stone fruits, disorders in shipments to New York market, 947
Stooksbury, D. E., 1109
Strawberry, anthracnose of, resistance in environment, 834
Strawberry crinkle virus, transfer to *Nicotiana* by aphids, 972, (973, 974)
Strelitzia reginae, leaf spot and blight of, 845, (845)
Sugar beet
—Pythium root rot, in Texas, 469
—Rhizoctonia root rot, fungicides for, prelayby, 694
—rhizomania of, first report in Texas, 557
—vascular necrosis and rot of, bacterial identification, in Texas, 602, (602)
Sugarcane
—eyespot of, specificity and interaction, 450
—ratoon stunting disease of, *Clavibacter* detection, 691
Sulfur, take-all of bentgrass, management, 226
Sullivan, D. A., 469
Sumner, D. R., 20, 515, 911
Sunflower
—*Fusarium tabacinum*, in Italy, 1043, (1044)
—*Paratylenchus projectus* on, growth effect, 975
—premature death of, *Phoma* relation, 466
—*Pseudomonas syringae* on, in Spain, 101
—rust resistance in, 101
—seed yield and foliar pathogen effect, 549
Sutton, D. P., 281
Sutton, T. B., 606, 613
Swart, W. J., 1038
Sweet cherry and strawberry shipments, in New York, disorders, 472
Sylvester, E. S., 972
Sztejnberg, A., 365

Tachibana, H. 237, 632, 815
Tanne, E., 704
Taro, dasheen mosaic virus of, in China, 837, (838)
Tattar, T. A., 879
Taylor, G. S., 1129
Teaching (see also Education), instructor evaluation, a rewarding experience, 377
Teliz, D., 704
Teng, P. S., 927
Thermotherapy, soybean seed, vegetable oil use, 213
Thielaviopsis basicola, on tobacco, inoculum density and stunting, in Virginia, 876
Thomson, S. V., 266
Tillage
—Rhizoctonia root rot of wheat, nitrogen relation, 125
—soybean nematodes and chemicals for control, 323
Tilletia spp.
—*T. buchloëana*, on buffalograss, in Oklahoma, 651
—*T. controversa*, on wheat, control with chemical seed and soil treatment, 839
—*T. indica*, on wheat, seed and foliar fungicides for, 94
Tippett, J. T., 140
Tisserat, N., 557
Tobacco
—black root rot of, inoculum density and stunting, 876
—blue mold of, factors affecting in Florida, five-year period, 336
—cyst nematode, Fusarium wilt relation, 1129
—virus strains in, distribution in North Carolina, 38
Tobacco etch virus, on *Capsicum frutescens*, in Sudan, 557
Tobacco ringspot virus, on squash, pigweed host, seed transmission, 530
Tomasino, S. F., 719
Tomato
—bacterial speck of, chemical control, timing, 405
—crown and root rot of, in Pennsylvania, 469
—Fusarium crown rot of, *Trichoderma* for control, 587
—plant rhabdovirus on, vein-yellowing, 731, (732, 733)
—powdery mildew: host range and specificity, 248, (249); inoculum source, yield, and quality effect, 266
—root-knot nematode of, resistance detection using electrophoresis, 1001
—Verticillium wilt of, difluoromethylornithine for suppression of, 313
Tomato ringspot virus
—on cinquefoil, 376
—distribution with vector in soil, 408
Tomato spotted wilt virus
—on lettuce, epidemiology in Hawaii, 505
—in Tennessee, first report, 376
Tosi, L., 1043
Trachymene caerulea, *Phytophthora cactorum* on, new hosts, 281
Tranzschelia discolor, on almond, first report in India, 850
Travis, J. W., 606, 613
Trechispora alnicola, on bluegrass, yellow ring, 1141, (1142)
Trench, T. N., 761
Trevathan, L. E., 311
Trichoderma spp., in soil, low temperature isolates, 137
—*T. harzianum*: Fusarium crown rot of tomato controlled by, 587; *Rosellinia necatrix* controlled by in soil, with solarization, 365
Trujillo, E. E., 1098
Tsai, J. H., 837
Tu, J. C., 9
Tucker, E. T., 376
Tulip, bulb infection, fungicides and atmosphere treatments, 307, (308)
Turfgrass
—Bipolaris leaf spot of, surfactant effect on, 149
—*Curvularia lunata* on, clipping and heat stress effect, 873
—patch diseases of, etiologic dilemma, 774, (774-779)
—*Rhizoctonia* spp. on, rapid identification, 47, (48)
—snow mold, suppression, 97
—take-all patch, management with chemical amendments, 226
—yellow ring, etiology, 1141, (1142)
Turnip mosaic virus, on garlic mustard, characterization, in Canada, 965, (966)
Typhula phacorrhiza, on bentgrass, snow mold suppression, 97, (99)
Typsophila paniculata, *Phytophthora cactorum* on, new hosts, 281

Ucko, O., 587
Uredinopsis mirabilis, on fir, needle weight as infection measure, 270
Uromyces spp.
—*U. ciceris-arietini*, on chickpea, first report, 101
—*U. phaseoli*, on snap bean, chemical control and fungicide residues, 639

Valverde, R. A., 557
van Heemstra, M. I., 1021
Van Schagen, J. G., 965
Vanilla, virus infections in Polynesia, 1125
Vargas-Machuca, R., 756
Venette, J. R., 101, 466, 984
Venturia inaequalis, on apple, fungicide applications, 623, (625)
Verticillium spp., on potato, cause of early dying, 482, (483, 486, 487)
—*V. albo-atrum*: on alfalfa, in Maryland, 376; on alfalfa, outbreak in Quebec, 761; on alfalfa, resistance evaluation with culture filtrates, 900, (901, 902); on chickpea, in Tunisia, 101
—*V. dahliae*: on broccoli and chicory, outbreaks in Italy, 1144; on potato, giant hill selection, 937; on tobacco, wilt caused by, 101; on tomato, wilt suppressed by difluoromethylornithine, 313; on velvetleaf, 415, (417); on weeds in Peru, recovery, 756
Vrain, T. C., 85

Wade, M., 652
Wall, G. C., 759
Wallin, J. R., 426
Wang, H.-L., 491
Wargo, P. M., 163
Warnes, D., 500
Warren, H. L., 402, 803
Watermelon, Fusarium wilt of, new race 2 in USA, 233
Watermelon mosaic virus, in cucurbits, detection, 40
Watermelon mosaic virus 2, on cucurbits, two strains in Texas, 750, (750, 751)
Waters, C. M., 1001
Watson, A. K., 281
Webb, R. R., 192
Weinstein, L., 313
Wells, H. D., 192
Wells, J. M., 930, 947
Wettlaufer, S. H., 313
Wheat
—Cephalosporium stripe of, soil pH effect, 727
—diseases of, EPINFORM for predicting epidemics, 1147
—dwarf bunt of, control by chemical seed and soil treatment, 839
—*Fusarium* and *Microdochium* spp. on, relative pathogenicity, 177
—Karnal bunt of, fungicides for control, 94
—leaf rust: adult-plant resistance, gene *Lr22a*, 542; occurrence and pathogenicity in South Africa, 1133
—powdery mildew of, virulence spectrum in New York, 539
—Rhizoctonia root rot, tillage and nitrogen effect, 125
—Septoria nodorum blotch, resistance, 1109
—*Sclerotium rolfsii*, first report, Australia, 1146

—stem rust, virulence for *Sr24*, 1115
—stripe rust: disease management in New Zealand, 102, (103); grain yield, and chloride relation, 54
—take-all: first report in Texas, 850; seed treatment with sterol biosynthesis-inhibiting fungicides, 743
—tan spot of: nitrogen effect, 49; severity and leaf position, growth stages, 883
—Xanthomonas streak, crop loss from, 927
Wheat spindle streak mosaic virus, first report in Oklahoma, 850
Wheat streak mosaic virus, resistance to, methods of evaluation, 714
White, D. G., 135
White, J. F., Jr., 340
Whitney, E. D., 602
Wick, R. L., 281
Wicklow, D. T., 1146
Wiersma, J., 500
Wilcoxson, R. D., 500, 542, 1133
Wild rice, brown spot of, losses and epidemiology, 419
Wilkins, D. E., 125
Wilkinson, H. T., 1141
Williams, E., 850
Williams, P. H., 275
Williamson, V. M., 1001
Wilson, C. L., 316
Windels, C. E., 281
Windom, G. E., 326
Wingfield, M. J., 1038
Wisler, G. C., 1125
Witcher, W., 243, 399
Wofford, D. S., 74
Worf, G. L., 469
Wright, F. S., 512
Wu, L., 651
Wynne, J. C., 188
Wysong, D. S., 1146
Wyszogrodzka, A. J., 275

Xanthomonas campestris
—on bird-of-paradise, leaf spot and blight, 845, (845)
—on *Brassica* spp., Nyolate seed treatment for, 27
—on cabbage, resistance sources, 263
—on citrus: in Florida, history and prospects, 388, (389); postharvest treatment use in quarantine, 319; survival in debris and soil, Argentina and Florida, 1094
—on geranium, leaf and stem rot, 821
—on *Hibiscus*, chlormequat chloride effect on, 186
—ice nucleation active strains, 994
—on pepper, phenotypes associated, 1075
—on plum, canker development, 1078
—on schefflera, fertilizer effect, 527
—on sorghum, detection of dot-immunobinding assay, 30
—on wheat and barley, crop loss from, 927
Xiphinema rivesi, tomato ringspot virus vector, distribution in soil, 408

Yahyaoui, A. H., 597
Yang, S. M., 101
Yeh, S.-D., 491
Yorston, J. M., 85
Yoshimine, S., 533
Yoshimura, M. A., 1098
Yuen, J. E., 63
Yuen, J. M. F., 186

Zagory, D., 651
Zapata, M., 1006
Zazzerini, A., 1043
Zee, F., 704
Zehr, E. I., 832
Zeiders, K. E., 348
Zeigler, R. S., 592, 896
Zettler, F. W., 353, 837, 958, 1125
Ziv, O., 145
Zuber, M. S., 426
Zucchini yellow mosaic virus, on cucurbits, detection, 40
Zummo, N., 1045